

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/709,814	05/28/2004	Alan Bauer	27475/07445	3813	
24024 759 CALFEE HALTE	02/16/2007 ER & GRISWOLD, LLP	EXAM	EXAMINER		
800 SUPERIOR AVENUE SUITE 1400 CLEVELAND, OH 44114			WUJCIAK.	WUJCIAK, ALFRED J	
			ART UNIT	PAPER NUMBER	
			3632		
SHORTENED STATUTORY F	PERIOD OF RESPONSE	MAIL DATE	DELIVER	DELIVERY MODE	
3 MONTHS		02/16/2007	PAPER		

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

	•	Application No.	Applicant(s)				
Office Action Summary		10/709,814	BAUER, ALAN				
		Examiner	Art Unit				
	· .	Alfred Joseph Wujciak III	3632				
Period fo	The MAILING DATE of this communication app r Reply	ears on the cover sheet with the c	correspondence address				
WHIC - Exten after: - If NO - Failur Any n	DRTENED STATUTORY PERIOD FOR REPLY HEVER IS LONGER, FROM THE MAILING DAISIONS of time may be available under the provisions of 37 CFR 1.13 (6) MONTHS from the mailing date of this communication. Period for reply is specified above, the maximum statutory period we to reply within the set or extended period for reply will, by statute, eply received by the Office later than three months after the mailing of patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tir it apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	N. nely filed the mailing date of this communication. (D) (35 U.S.C. § 133).				
Status			•				
	Responsive to communication(s) filed on 11 Ja	• *					
,	·	action is non-final.					
	3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is						
	closed in accordance with the practice under E	x parte Quayle, 1935 C.D. 11, 4	53 O.G. 213.				
Dispositi	on of Claims	. •					
4)⊠ Claim(s) <u>17,19 and 20</u> is/are pending in the application.							
	4a) Of the above claim(s) is/are withdraw						
	Claim(s) is/are allowed.						
· · · · · · · · · · · · · · · · · · ·	6)⊠ Claim(s) <u>17,19 and 20</u> is/are rejected.						
	7) Claim(s) is/are objected to.						
8)□	Claim(s) are subject to restriction and/or	election requirement.					
Application	on Papers						
9)□-	Γhe specification is objected to by the Examine	•					
	The drawing(s) filed on <u>28 May 2004</u> is/are: a)	,	by the Examiner				
	Applicant may not request that any objection to the	_ · · · / _ · ·					
	Replacement drawing sheet(s) including the correcti	• • • • • • • • • • • • • • • • • • • •	* *				
11) 🔲 🗀	The oath or declaration is objected to by the Ex	aminer. Note the attached Office	Action or form PTO-152.				
Priority u	nder 35 U.S.C. § 119						
12) 🗍 🗸	Acknowledgment is made of a claim for foreign	priority under 35 H.S.C. & 119/a)-(d) or (f)				
_	☐ All b)☐ Some * c)☐ None of:	priority ariable 50 5.5.5. 3 1 15(a	, (1) 3. (1).				
,-	1.☐ Certified copies of the priority documents	s have been received.					
	2. Certified copies of the priority documents have been received in Application No						
3. Copies of the certified copies of the priority documents have been received in this National Stage							
	application from the International Bureau	(PCT Rule 17.2(a)).					
* See the attached detailed Office action for a list of the certified copies not received.							
			•				
A44==b====	(-)						
Attachment 1) 図 Notice	(s) e of References Cited (PTO-892)	.4\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	(DTO 442)				
2) 🔲 Notice	of Draftsperson's Patent Drawing Review (PTO-948)	4) Interview Summary Paper No(s)/Mail Da	ate				
3) 🔲 Inform	nation Disclosure Statement(s) (PTO-1449 or PTO/SB/08) No(s)/Mail Date	5) Notice of Informal P 6) Other:	atent Application (PTO-152)				

Application/Control Number: 10/709,814

Art Unit: 3632

This is the non-final Office Action for the serial number 10/709,814, BATHROOM ACCESSORY MOUNTING ASSEMBLY AND METHOD OF MOUNTING, filed on 5/28/04.

The allowability claim 18 has been considered and withdrawn in view of new ground rejection, any inconvenience is regretted.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claim 17 is rejected under 35 U.S.C. 102(b) as being anticipated by US Patent # 5,145,135 to Thompson.

Thompson teaches a bathroom accessory mounting assembly comprising a mounting subassembly (20), a post (38) and a functional member (38) connected to the post. The mounting subassembly comprises a mounting bracket (50). The post is connected to the mounting subassembly by alignment of the post with the mounting subassembly and movement of the post along the mounting subassembly solely in an axial direction until a portion of a snap flange (54) located on the mounting bracket snaps into a recess (56) formed through the post. The snap flange is being engageable from the exterior of the post to release the connection of the post to the mounting bracket. The functional member is a bar.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 19-20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Thompson.

Thompson teaches the post and mounting bracket having toroidal portions and the mounting bracket further comprises one rib (52) located on the axially extending body portion but fails to teach wherein the inner diameter of the post is slightly larger than the outer diameter of the axially extending body of the mounting bracket., however in figure 7 of Thompson's invention which is a different embodiment shows that the inner diameter of the post is slightly larger than the outer diameter of the axially extending body of the mounting bracket. It would have been obvious for one of ordinary skill in the art at the time the invention was made to have modified the inner diameter of post larger than the outer diameter of the axially extending body of the mounting bracket to provide alternative method for connecting the post and mounting bracket together.

Response to Arguments

Applicant's arguments with respect to claims 17 and 19-20 have been considered but are most in view of the new ground(s) of rejection.

Conclusion

Art Unit: 3632

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Alfred Joseph Wujciak III whose telephone number is (571) 272-6827. The examiner can normally be reached on 8am-4:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Carl Friedman can be reached on (571) 272-6842. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Alfred Joseph Wujciak III Primary Examiner Art Unit 3632

2/13/07

A. JOSEPH WUJCIAK III
PRIMARY EXAMINER
ECHNOLOGY CENTER